Fabric Sampler

Edition 12/24

Elegant Wish

1st price group

Manufacturer

Davis

Composition

100% Polyester

Weight

480 g/m² +/-5%

Fire safety standards

EN1021 -1 BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

>100.000

Pilling

1

Lightfastness

5


Additional Fabric Properties

Easy to clean

Manufacturer's website

www.davis.pl






Elegant Wish 1st price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



04

Arizona

1st price group

Manufacturer

Elastron

Composition

Coating: 91% PVC + 9% PU Backing: 95% polyester + 5% cotton

Weight

980 g/mb/lm (+/- 5%)

Fire safety standards

BS 5852 Part 1; EN 1021-1/2; CA Tech. Bull. 117:2013/NFPA 260 - Cigarette Test

Martindale Abrasion Test

>800.000

Pilling

Lightfastness

5


Additional Fabric Properties

Easy to clean, antibacterial, urine resistant, resistant to hospital-grade disinfectants

Manufacturer's website

www.elastrongroup.com





Arizona

1st price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Black Grey Ash Light grey



1st price group

Manufacturer

Davis

Composition

100% polyester

Weight

350 g/m² +/-5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

20.000-30.000

Pilling

4

Lightfastness

3-5

Additional Fabric Properties

Water repellent

Manufacturer's website

www.davis.pl





Luis1st price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!





Milton New

1st price group

Manufacturer

Fargotex

Composition

97% polyester, 3% nylon

Weight

310 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

90.000

Pilling

_

Lightfastness

+

Additional Fabric Properties

Water repellent

Manufacturer's website

www.fargotex.pl



FARGOTEX

Milton New

1st price group



18

Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



20

13

Etna

1st price group

Manufacturer

Davis

Composition

100% PES (Polyester)

Weight

 $310 \text{ g/m}^2 \pm 5\%$

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

80.000-90.000

Pilling

4


Lightfastness

۲,

Manufacturer's website

www.davis.pl






Etna

1st price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



85 24

Inari

1st price group

Manufacturer

Davis

Composition

100% PP (Polypropylene)

Weight

260 g/m² ± 5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

45.000-50.000

Pilling

1


Lightfastness

5

Manufacturer's website

www.davis.pl





Inari lst price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Matt Velvet

1st price group

Manufacturer

Davis

Composition

100% polyester

Weight

430 g/m² +/-5%

Fire safety standards

EN1021 -1, BS5852: Part 1:1979, Ignition source 0 (Cigarette), CAL TB 117

Martindale Abrasion Test

>100,000

Pilling

4-5

Lightfastness

•


Additional Fabric Properties

Water repellent

Manufacturer's website

www.davis.pl





Matt Velvet

1st price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



Himalaya

2nd price group

Manufacturer

Symphony Mills

Composition

100% recycled polyester

Weight

500 g/m² +/-5%

Fire safety standards

CAL TB 117

Martindale Abrasion Test

100,000

Pilling

1

Lightfastness

۲,

Manufacturer's website

www. symphonymills.com






Himalaya 2nd price group



Discover a Curated Selection of the Collection! This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us - we'll be happy to help you find the perfect shade for your project!



606 602

Zoya2nd price group

Manufacturer

Fargotex

Composition

100% polyester

Weight

390 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

4

Lightfastness

4-5

Additional Fabric Properties

Easy to clean with water, pet-friendly fabric

Manufacturer's website

www.fargotex.pl



FARGOTEX

Zoya2nd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Hazel

2nd price group

Manufacturer

Fargotex

Composition

100% recycled polyester

Weight

284 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

_

Lightfastness

7

Additional Fabric Properties

Easy to clean with water, pet-friendly fabric, difficult liquid absorption

Manufacturer's website

www.fargotex.pl



FARGOTEX

Hazel 2nd price group



13

Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

15

Avena

2nd price group

Manufacturer

Fargotex

Composition

59% polyamide, 23% polyester, 13% viscose, 5% linen

Weight

550 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling

Lightfastness 5

Additional Fabric Properties

Easy to clean with water, difficult liquid absorption

Manufacturer's website

www.fargotex.pl



FARGOTEX

Avena 2nd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Nordic

2nd price group

Manufacturer

Aqua Clean

Composition

50% polyester, 35% acrylic, 15% polyamide

Weight

410 g/m²

Fire safety standards

EN10211-2, BS5852 0-1

Martindale Abrasion Test

100.000

Pilling


Lightfastness

Additional Fabric Properties Aqua Clean, Safe Front, PFC free

Manufacturer's website

www.aquaclean.com





Nordic

2nd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



128 125

Strong

2nd price group

Manufacturer

Fargotex

Composition

100% polyester

Weight

381 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

50.000

Pilling 4-5

Lightfastness

Additional Fabric Properties

Easy to clean with water, pet-friendly fabric, virus protect, difficult liquid absorption

Manufacturer's website

www.fargotex.pl



FARGOTEX

Strong 2nd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



RePlay

3rd price group

Manufacturer

Camira

Composition

100% recycled polyester

Weight

380 g/m² ±5%

Fire safety standards

EN 1021 - 1&2 (cigarette & match); BS 7176 Low Hazard; BS 5852 Ignition Source 5; BS 7176 Medium Hazard; DIN 4102 BI; NF D 60-013; ÖNORM B 3825 & A 3800-1 (over CMHR 58kg/m³ Foam); UNI 9175 Classe 1 IM; EN 13501-1 Adhered Class B, sl, d0; EN 13501-1 Un-adhered Class B, sl, d0; NF P 92-507 MI

Martindale Abrasion Test

≥100.000

Pilling

4

Lightfastness

4-6

Additional Fabric Properties


10-year warranty

Manufacturer's website

www.camirafabrics.com



Paged



RePlay 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.


RePlay 3rd price group




Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

REP 21 REP 23 REP 24

RePlay 3rd price group





that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

Step 3rd price group

Manufacturer

Gabriel

Composition

100% Trevira CS

Weight

470 g/lm

Fire safety standards

DIN 4102 - B1; NF P 92-503/504/505 M1; BS EN 1021 1&2 Cigarette and Match; BS 5852 Crib 5; ÖNORM A3800-B1-B3825-Q1 UK; FAR/JAR 25.853 (a) (i) (ii); AM 18 - NF D 60-013 (only for fabric); CA TB 117-2013; Class Uno UNI 9175 Class 11 EMME; DIN EN 13501-1 B-s1,d0; IMO MSC 307(88) Annex 1 part 8; IMO MSC 307(88) Annex 1 part 8 UK; MED Certificate IMO; MED Certificate IMO UK; CAN/ULC-S102.2; CAN/ULC-S109; NFPA 701

Martindale Abrasion Test

100.000

Pilling

4-5

Lightfastness

5-7


Additional Fabric Properties

10-year warranty

Manufacturer's website

www.gabrielfabrics.com





Step 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

 Step 60999
 Step 61103
 Step 61149
 Step 61787

Step 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

 Step 63012
 Step 63075
 Step 63082
 Step 63736

Step 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

 Step 65011
 Step 65018
 Step 65023
 Step 65047

Step 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

 Step 66764
 Step 66765
 Step 67004
 Step 67007

Step 3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

 Step 68159
 Step 68161
 Step 68162
 Step 68163

Step 3rd price group





Step 68799

Step Melange

3rd price group

Manufacturer

Gabriel

Composition

100% Trevira CS

Weight

470 g/lm

Fire safety standards

DIN 4102 - BI; NF P 92-503/504/505 MI; BS EN 1021 1&2 Cigarette and Match; BS 5852 Crib 5; ÖNORM A3800-BI-B3825-QI UK; FAR/JAR 25.853 (a)(i)(ii); AM 18 - NF D 60-013 (only for fabric); CA TB 117-2013; Class Uno UNI 9175 Class 1 I EMME; DIN EN 13501-I B-sl,d0; IMO MSC 307(88) Annex 1 Part 8; MED Certificate IMO; MED Certificate IMO; MED Certificate IMO UK; CAN/ULC-S102.2; CAN/ULC-S109; NFPA 701

Martindale Abrasion Test

100.000

Pilling

4-5

Lightfastness

5-7

Additional Fabric Properties

10-year warranty

Manufacturer's website

www.gabrielfabrics.com





Step Melange

3rd price group



Step Melange 60345



Step Melange 60004



Step Melange 61104



Step Melange 61287



Step Melange 61149



Step Melange 61289



Step Melange 61286



Step Melange 61288



Step Melange 61293



Step Melange 60011





Step Melange 66152 Step Melange 66148

Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Step Melange

3rd price group



Step Melange 66265



Step Melange 61152



Step Melange 60092



Step Melange 66019



Step Melange 61291



Step Melange 60090



Step Melange 60021



Step Melange 62143



Step Melange 63136



Step Melange 62144



Step Melange 62146



ge 62146 Step Melange 62057

Step Melange

3rd price group



Step Melange 61103



Step Melange 63139



Step Melange 63082



Step Melange 63138



Step Melange 63137



Step Melange 63075



Step Melange 64270



Step Melange 64267



Step Melange 61151



Step Melange 64178



Step Melange 64179



Step Melange 64013

Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Step Melange

3rd price group





Step Melange 67135

Step Melange 66018

ge 66018 Step Melange 66263

Step Melange

3rd price group



Step Melange 66264



Step Melange 60346



Step Melange 67072



Step Melange 67007



Step Melange 68158



Step Melange 68118



Step Melange 68159



Step Melange 68120



Step Melange 68161



Step Melange 68121





Step Melange 68163 Step Melange 68162

Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Step Melange

3rd price group



Step Melange 68298



Step Melange 68299



Step Melange 68300



Step Melange 68119



Step Melange 62073



Step Melange 68301



Step Melange 68165

Valencia

3rd price group

Manufacturer

Spradling

Composition

Coating: 100% Vinyl Backing: 100% Polyester Hi-Loft 2

Weight

650 gr/m²

Fire safety standards

AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - weakly smoking; AT: ÖNORM B 3825, Group 1 - non-flammable behavior; DE: DIN 4102 B2; EU: ECE Regulation No.118:03 (R118.02 Annexes 6, 7 & 8); EU: EN 1021 Part 1 & 2; EU: EN 71-2:2006+A1:2007 - Toy Safety - Part 2: Flammability; FR: NF P 92-503/M2; IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2; IT: UNI 9175 (1987) / UNI 9175/FAI (1994) Class 1.IM (UNO I EMME); (MED) Marine Equipment Directive (current valid version); UK: UKCA; US: CAL TB 117-2013, Section E; US: ASTM E 84 Adhered - Class 1; US: FAR 25/853; US: FMVSS 302; US: NFPA 260 - Class 1

Martindale Abrasion Test

100.000

Pilling

Lightfastness

4-5


Additional Fabric Properties

PERMABLOK3® (vinyl antibacterial, antiviral coating), EN 71-3 toy safety (migration of certain elements), Crack resistance at low temperatures -23°C, Fungal protection, Antibacterial protection, Antifungal protection

Manufacturer's website

www.gabrielfabrics.com





Valencia

3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Leinen Champagne Cashmere Beige

Valencia

3rd price group



Valencia

3rd price group



Valencia

3rd price group



Valencia

3rd price group



Valencia

3rd price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality - everything you need, all in one place.

> Graphite Night Marine

Salak

3rd price group

Manufacturer

Dekoma

Composition

91% polyester, 9% viscose

Weight

363 g/m²

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette); US Cal. Bull. 117; NFPA 260

Martindale Abrasion Test

30.000

Pilling 4-5

Lightfastness

Manufacturer's website

www.dekoma.eu





Salak 3rd price group









24 sesame 28 pheasant 33 midnight 09 apricot



18 shark

Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Twig 3rd price group

Manufacturer

Fargotex

Composition

100% recycled polyester

Weight

318 g/m² +/-5%

Fire safety standards

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

40.000

Pilling

Lightfastness 7


Additional Fabric Properties

Easy to clean with water, pet-friendly fabric, difficult liquid absorption


Manufacturer's website

www.fargotex.pl





Twig 3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Estivo

3rd price group

Manufacturer

Fargotex

Composition

40% cotton, 25% viscose, 10% linen, 20% acrylic, 5% polyester

Weight

548 g/m² +/-5%

Fire safety standards BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

35.000

Pilling

Lightfastness

Manufacturer's website

www.fargotex.pl



Estivo3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Neon

3rd price group

Manufacturer

Fargotex

Composition

66% acrylic, 34% polyester

Weight

570 g/m² +/-5%

Fire safety standardsBS 5852: Part 1: 1979, source 0 (cigarette)

Martindale Abrasion Test

40.000

Pilling

Lightfastness

Additional Fabric PropertiesEasy to clean with water, Reduced fluid absorption


Manufacturer's website

www.fargotex.pl



FARGOTEX

Neon 3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!

Varenna

3rd price group

Manufacturer

Aqua Clean

Composition

80% polyester, 16% modacrylic, 4% viscose

Weight

432 g/m²

Fire safety standards

EN10211-2; BS5852 0-1

Martindale Abrasion Test

≥100.000

Pilling

Lightfastness 5


Additional Fabric Properties

Aqua Clean, Safe Front, PFC free

Manufacturer's website

www.aquaclean.com






Varenna

3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



105 62

Titan

3rd price group

Manufacturer

Aqua Clean

Composition

73% polyester, 19% modacrylic, 8% cotton

Weight

421 g/m²

Fire safety standards

EN10211-2; BS5852 0-1

Martindale Abrasion Test

60.000

Pilling

5

Lightfastness

۷ .


Additional Fabric Properties

Aqua Clean, Safe Front, PFC free

Manufacturer's website

www.aquaclean.com





Titan3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



250 30

Wool

3rd price group

Manufacturer

Dekoma

Composition

70% recycled wool, 20% polyester, 5% polyamide, 5% other fibers

Weight

325 g/m²

Fire safety standards

EN1021 1-2; BS5852 0-2; US Cal. Bull. 117

Martindale Abrasion Test

100.000

Pilling


4-5

Lightfastness

4-5

Manufacturer's website

www.dekoma.eu





Wool 3rd price group



Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



17 biscuit 41 sorbet 48 storm

4th price group

Manufacturer

Camira

Composition

75% virgin wool, 25% flax

Weight

437 g/m² ±5%

Fire safety standards

EN 1021 - 1&2 (cigarette & match); BS 7176 Low Hazard; BS 5852 Ignition Source 5; BS 7176 Medium Hazard; NF D 60-013; ÖNORM B 3825 & A 3800-1 (58kg/m³ CMHR Foam); UNI 9175 Classe 1 IM; BS 476 Part 7 Class 1 (Adhered); EN 13501-1 Adhered Class B, s1, d0; BS 5867-2: Type B Curtains & Drapes; The Furniture and Furnishing (Fire Safety) Regulations 1988 (UK domestic cigarette and match); IMO FTP Code (Part 8)

Martindale Abrasion Test

≥50.000

Pilling

3-4

Lightfastness

4-6

Additional Fabric Properties


10-year warranty

Manufacturer's website

www.camirafabrics.com



Paged



Main Line Flax

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

MLF 46 MLF 40 MLF 03 MLF 47

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

MLF 22 MLF 34 MLF 37 MLF 34

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

MLF 32 MLF 18 MLF 29 MLF 56

4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

MLF 20 MLF 12 MLF 60 MLF 23

Main Line Flax

4th price group





Silvertex

4th price group

Manufacturer

Spradling

Composition

Coating: 100% Vinyl Backing: 100% Polyester Hi-Loft 2

Weight

685 g/m²

Fire safety standards

AT: ÖNORMA 3800 Part I, Smoke Classification QI - Low Smoke Emission;
AT: ÖNORM B 3825, Group I - Flame Retardant Behavior; DE: DIN 4102 B2;
EU: ECE Regulation No.118:03 (R118.02 Annexes 6, 7 & 8); EU: EN 1021 Part 1 & 2;
EU: EN 71-2:2006+AI:2007 - Toy Safety - Part 2: Flammability; FR: NF P 92-503/M2;
IMO FTP 2010 Code MSC.307 (88) Part 8 Sections 3.1 & 3.2; IT: UNI 9175 (1987) / UNI 9175/
FAI (1994) Classe 1.IM; (MED) Marine Equipment Directive (current valid version); UK: UKCA;
US: CAL TB 117-2013, Section E; US: FAR 25/853; US: FMVSS 302; US: NFPA 260 - Class 1

Martindale Abrasion Test

300.000

Pilling

Lightfastness

Xenon Test (DIN 54004): 7


Additional Fabric Properties

PERMABLOK3® (antibacterial and antiviral vinyl coating), UV Resistance: ISO 105 B04 ≥ 4/5 (Grey Scale), UV Resistance: ISO 105 B02 ≥ 7/8 (Blue Wool Scale), EN 71-3 Toy Safety (Migration of Certain Elements), Cold Crack Resistance: -29°C, Antifungal Protection, Antibacterial Protection, Stain-Resistant Finish, Mold-Resistant Backing and Surface Layer, Resistant to Sulfide Stains, Antistatic Finish

Manufacturer's website

www.spradling.eu





Silvertex 4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Sandstone Taupe Shiitake Luggage

Silvertex 4th price group



Avocado

Lotus

Camel

Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Melon

Silvertex 4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Tomato Goji Brick Rose

Silvertex 4th price group



Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Skylight Sage Hunter Petrol

Aluminium

Silvertex 4th price group




Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Whale Titanium Mizzle

Silvertex 4th price group





Discover a complete collection of materials that seamlessly blend outstanding aesthetics with dependable quality – everything you need, all in one place.

Hermes

4th price group

Manufacturer

Adhulst

Manufacturer's Website

www.adhulst.nl





Hermes

4th price group





Discover a Curated Selection of the Collection!
This card showcases a carefully chosen range of fabrics from the manufacturer's offering. If you're looking for other colors from the available palette, feel free to contact us – we'll be happy to help you find the perfect shade for your project!



Djerba

Remix 3

Premium price group

Manufacturer

Kvadrat

Composition

90% new worsted wool, 10% nylon

Weight

420 g/lm

Fire safety standards

NF D 60 013; US Cal. Bull. 117-2013; EN 1021-1/2; IMO FTP Code 2010 Part 8; ÖNORM BI/QI; GB 50222 BI with treatment (Chinese); BS 5852 Part 1; ASTM E84 Class A Adhered; UNI 9175 1IM; NFPA 260; AS/NZS 1530.3; AS/NZS 3837 Class 2; EN 13501 B-s2, d0 with treatment; IMO FTP Code 2010 Part 7 with treatment; SN 198 898 5.3 with treatment; ASTM E84 Class A Unadhered; BS 5852 Crib 5 with treatment

Martindale Abrasion Test

100.000

Pilling

1

Lightfastness

6


Additional Fabric Properties

10-year warranty

Manufacturer's website

www.kvadrat.dk/en





Remix 3 Premium price group



Remix 3 Premium price group



Remix 3 Premium price group



Remix 3 Premium price group



Remix 3 Premium price group



0842

0852

0836

Fabrics from this collection are priced individually to provide you with an offer perfectly tailored to your needs!

0823

Remix 3 Premium price group



Steelcut Trio 3

Premium price group

Manufacturer

Kvadrat

Composition

90% new worsted wool, 10% nylon

Weight

770 g/lm

Fire safety standards

NF D 60 013; US Cal. Bull. 117-2013; EN 1021-1/2; ASTM E84 Class B Adhered; IMO FTP Code 2010 Part 8; ÖNORM BI/QI; BS 5852 Part 1; UNI 9175 IIM; NFPA 260; AS/NZS 1530.3; AS/NZS 3837 Class 2; BS 7176 Low Hazard; ASTM E84 Class B Unadhered; SN 198 898 5.3 with treatment; BS 5852 Crib 5 with treatment

Martindale Abrasion Test

100.000

Pilling

4

Lightfastness

6-7


Additional Fabric Properties

10-year warranty

Manufacturer's website


www.kvadrat.dk/en






Steelcut Trio 3

Premium price group




Steelcut Trio 3

Premium price group




Steelcut Trio 3

Premium price group




Steelcut Trio 3


Premium price group



Steelcut Trio 3

Premium price group





Our experts are happy to help you choose the perfect fabric for your project.

We collaborate with many fabric manufacturers, ensuring a wide range of options. If you have any questions don't hesitate to contact us.

The fabrics shown in the pictures are for reference purposes only and do not constitute an offer as defined by applicable law. Actual colors and textures of the fabrics may vary. Fabric selection should be based solely on samples, swatches, or catalogues provided for this purpose. Slight shade variations between different production batches are permissible.

